

**ORACLE®**



**ORACLE®**

**Unleashing the Power of Pop Update for Student Financials  
Alliance 2009, Session #26220**

Vera Walker and Sandra Pearson  
Principal Product Manager

The following is intended to outline our general product direction. It is intended for information purposes only, and may not be incorporated into any contract. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions.

The development, release, and timing of any features or functionality described for Oracle's products remains at the sole discretion of Oracle.

## Agenda/Contents

- What is the Pop Select Utility
- Update Service Indicators using query (Self Service PPL)
- Update student groups using query(billing)
- Update Equation Variables using file (Tuition Calc)
- Update STDNT\_CAR\_TERM using an equation (tcalc req flag)


## Population Selection/Population Update

- Population Selection is a tool that allows for an institution to customize a selection of students for processing. Population Selection is incorporated into a process such as Adding/Deleting students from Student Groups.
- Population Update is a delivered process, utilizing population selection, which updates specific field values in tables delivered as part of population update.

# Population Select Utility

Population Selection enables you to use different tools to select Emplids for a process. PS delivered the following selection tools:

- *PS Query*
- *Equation Engine*
- *External File*



# Navigation

- Population Selection Utilities are defined:  
*Setup SACR>System Administration>Utilities*
  - Define Selection Tools
  - Application Specific Context
  - **Context Definition**
  - Equation to Context Mapping
- Population Update is defined:  
*Setup SACR>System Administration>Utilities*
  - Population Update Setup
  - Population Update Process

# Population Update Security

## Population Update Security:

- For each Record (table): Setup SACR>Security>Secure Student Administration>User ID>Population Update Security
- For each Field: Setup SACR>System Administration>Utilities>Population Update Setup
- For each Population Update Process: Security needs to be granted to the component
- Query and Equation security needs to be granted

# Population Selection Utility

Context Definition | Selection Mapping

---

*Context Name	SI Mass Assignment (Person)
Process Type	Application Engine
Process Name	SCC_SI_ASSN
Description	Assign Service Indicators for Individuals

\*Status

Active
--------

---

Applicable Menu Navigation	*Component Name
1 AV_MAINTAIN_PEOPLE_DATA	SCC_SI_ASSN
2 SCC_SRV_IND	SCC_SI_ASSN

---

Applicable Selection Tools	Description
1 PS Query	PeopleSoft Query Manager
2 Equation Engine	Student Administration Equation Engine
3 External File	Student Administration File Parser

ORACLE®

# Population Selection Utility

Context Definition    **Selection Mapping**

---

Context Name	SI Mass Assignment (Person)
Status	Active
Pop Selection Integration	
<input type="checkbox"/> Context varies per Application Data	

Process Required Fields	
Results Record	SCC_SRVIND_DRV
Required Fields Record	SCC_BND_SRCIND
Data Source Records	<a href="#">Customize</a>   <a href="#">Find</a>   <a href="#">View All</a>
*Record (Table) Name	<a href="#">Record Description</a>
1 SCC_BND_SRCIND	Pop Selection Bind Record <a href="#">+</a> <a href="#">-</a>

<input type="checkbox"/> Validate Edit Prompt Values	
Required Fields Mapping	<a href="#">Customize</a>   <a href="#">Find</a>   <a href="#">View All</a>
Mapping Information	<a href="#">First</a> <a href="#">1-2 of 2</a> <a href="#">Last</a>
Results Record Fields	<a href="#">Mapping Action</a> <a href="#">Required Fields</a>
1 EMPLID	Direct EMPLID
2 PROCESS_INSTANCE	Process Instance

ORACLE®

# Assign Service Indicator

- **Process:** Mass Assign Service Indicator
- **Business Reason:** Identify a group of students who are NOT eligible for a self service payment plan.
- **Selection Tool:** Query

# Mass Assign SI - Query

CS delivered pop select queries with a prefix of QA\_CS.

The screenshot shows a query editor in Oracle SQL Developer. The query is named "SANDY\_CC\_PS\_SRVCIND\_PERS". The interface includes tabs for Records, Query, Expressions, Prompts, Fields, Criteria, Having, View SQL, and Run. The "Run" tab is currently selected. The query description is "Assigned Service Indicators". A note says "Working on selection: Subquery for A.EMPLID - EmpID". A link "Subquery/Union Navigation" is present. The query SQL is:

```
SELECT A.EMPLID  
FROM PS_SCC_BND_SRCIND_A  
WHERE A.EMPLID IN (SELECT B.EMPLID  
FROM PS_ACCOUNT_SF B  
WHERE B.BUSINESS_UNIT = 'PSUNV'  
AND B.ACCOUNT_NBR = 'HOUSING001'  
AND B.ACCOUNT_TERM = '0560'  
AND B.ACCOUNT_BALANCE > 300.00)
```

Note the bind record: PS\_SCC\_BND\_SRCIND

ORACLE

## Mass Assign Service Indicator - Query

- Campus Community>Service Indicators(Student)>Mass Assign Process

The screenshot shows a user interface for mass assigning service indicators. At the top right are buttons for 'Report Manager', 'Process Monitor', and a yellow 'Run' button. Below this, a 'Run Control ID:' field contains 's1p'. A 'Population Selection' section includes a 'Selection Tool' dropdown set to 'PS Query', a 'Query Name' input field containing 'SANDY\_CC\_PS\_SRVCLIND\_PERS', and links for 'Launch Query Manager' and 'Preview Selection Results'. A 'Service Indicator Data' section contains fields for 'Institution' (set to 'PeopleSoft University'), 'Service Indicator Code' (set to 'SF5'), 'Reason' (set to 'NOPAY'), and a checked checkbox 'Use System Date'. There are also search icons next to the 'SF5' and 'NOPAY' fields.

## Mass Assign Service Indicator - Query

- Preview Selection Results allows you to “preview” your results prior to running the process.

ID	Process Name
1	SFCA00057
2	SFCA00058
3	SFCA00059
4	SFCA00060
49	SFTP00027
50	SFTP00028
51	SFTP00029
52	SFTP00030

- Run the Process SCC\_SI\_ASSN

Process Scheduler Request

User ID:	PS	Run Control ID:	sfp
Server Name:	<input type="button" value="▼"/>	Run Date:	01/16/2009 <input type="button" value="?"/>
Recurrence:	<input type="button" value="▼"/>	Run Time:	3:36:14PM <input type="button" value="Reset to Current Date/Time"/>
Time Zone:	<input type="button" value=""/>		
Process List	Process Name	Process Type	Type
Select	SCC_SI_ASSN	Application Engine	Web <input type="button" value="▼"/>
<input checked="" type="checkbox"/> SCC_SI_ASSN			Format <input type="button" value="▼"/> Distribution <input type="button" value="▼"/>

ORACLE®

# Mass Assign Service Indicator - Query

## Customer Accounts

Business Unit:	PSUNV	ID:	SFTP00030	Academic Information	0
VanOrt,Jennifer J					
Total:	4,602.00	Anticipated Aid:	0.00		
Account Type	Account Number	Balance	Open Date	Status	
Housing	HOUSING001- 2006 Spring	3,000.00 USD	01/19/2006	Active	Account Details
Tuition	TUITION001 - 2006 Spring	1,602.00	01/19/2006	Active	Account Details

## Manage Service Indicators

Jennifer VanOrt SFTP00030

Display: Effect Negative ▾ Institution PeopleSoft University ▾ Refresh ↻

+ Add Service Indicator

Service Indicator Summary				Customize	Find	View All	First	1 of 1	Last
Code	Code Description	Reason Description	Institution	Start Term	Start Term Description	End Term	End Term Description	Start Date	End Date
SF5	Student Financials 5	Not Paid	PSUNV					01/16/2009	

+ Add Service Indicator

ORACLE®

## Population Update

- **Process:** Pop Update to  
STDNT\_CAR\_TERM.TCAL.REQ\_FLAG
- **Business Process:** Update pesky conversion rows.  
Reduce the number of students in testing batch tuition calc.
- **Selection Tool:** Query

## Pop Update - Query

- Set Up SACR>System Administration>Utilities>Population Update

### Population Update Setup

Fields Available for Update	
Record (Table) Name	STDNT_CAR_TERM
Tuition Calculation	
	Customize   Find   First ▲ 1 of 1 Last
*Field Name	Field Long Name
TUIT_CALC_REQ	Tuition Calc Required

Select the Record to be updated. Select the field(s) that need to be updated.

# Pop Update - Query

- Modified delivered PS query:  
**QA\_CS\_CC\_POP\_CARTERM**

The screenshot shows a user interface for a database query builder. At the top, there are tabs for 'Records', 'Query', 'Expressions', 'Prompts', 'Fields', 'Criteria', 'Having', and 'View SQL'. Below these tabs, the query name 'SANDY\_CC\_POP\_CARTERM' is displayed, along with a description: 'Pop Update of Student Car Term'. A large text area contains the SQL code for the query:

```
Query Name: SANDY_CC_POP_CARTERM
Description: Pop Update of Student Car Term

Query SQL:
SELECT A.EMPLID, A.NAME
FROM PS_SCCPU_CARTM_BND A, PS_STDNT_CAR_TERM B
WHERE A.EMPLID = B.EMPLID
AND B.EMPLID LIKE 'SF%'
AND B.INSTITUTION = 'PSUNIV'
AND B.STRM = '0410'
AND B.TUIT_CALC_REQ = 'Y'
```

ORACLE®

## Pop Update - Query

- Set Up SACR>System Administration>Utilities>Population Update Process

Population Selection Update

Run Control ID:  Run

Report Manager | Process Monitor

Select Record/Field for Update

\*Record (Table) Name:  ▼

Institution:  ▼ PeopleSoft University

Term:  ▼

Academic Career:  ▼ Undergraduate

Error Reporting Selection

Report Error Messages  Do Not Report Messages  Report All Messages

Population Selection

Selection Tool: PS Query ▼

Query Name:  ▼ Launch Query Manager Preview Selection Results

Select Fields to Update

Field Name	Field Value	Customize	Find	View All	First	Previous	Next	Last
Tuition Calc Required	<span style="background-color: #ADD8E6;">▼</span> <input type="text" value="N"/>	<span style="background-color: #ADD8E6;">+</span>	<span style="background-color: #ADD8E6;">-</span>					

ORACLE®

# Pop Update - Query

- Preview the results and run the process: SCC\_POP\_UPD.  
Review log file:

```
'SCC_POP_UPD' started at 2009-01-16-16.30.56.000000 (14401,82)
Total number of records read : 7 (14015,1010)
Total number of records updated successfully : 7 (14015,1011)
Total number of records failed : 0 (14015,1012)

'SCC_POP_UPD' ended at 2009-01-16-16.31.01.000000 (14401,83)
Application Engine program SCC_POP_UPD ended normally

PSAESRV completed service request at 16.31.00 2009-01-16
```

The screenshot shows a database query results page. At the top, there are navigation links: View All, Rerun Query, and Download to Excel. Below these are tabs for Records, Query, Expressions, Prompts, Fields, Criteria, Having, View SQL, and Run. On the right side, there are buttons for First, Last, and Calc Req. The main area displays a single record in a table:

ID	Career	Institution	Term	
1	SFTC00029	UGRD	PSUNIV	0410 N

ORACLE

## Pop Update - File

- **Process:** Pop Update to  
STDNTEQUTN\_VAR.VARIABLE\_CHAR1
- **Business Process:** Use Student equation variable 1  
(variable\_char1) as criteria for a specific waiver or  
term fee in tuition calc
- **Selection Tool:** File

## Pop Update - File

- Set Up SACR>System Administration>Utilities>Population Update Setup
  - Select the Record to be updated. Select the field(s) that need to be updated.

The screenshot shows a software interface titled "Population Update Setup". On the left, a vertical bar is labeled "Fields Available for Update". The main area displays a table with two columns: "Field Name" and "User Variable Character #1". The first row shows the field name "STUDENT\_EQUTN\_VAR" and the user variable "Student Equation Variables". The second row shows the field name "FIELD\_NAME" and the user variable "User Variable Character #1". A blue box highlights the "VARIABLE\_CHAR1" entry. At the top of the screen, there are navigation buttons for "Customize", "Find", and "First", along with a "1 of 1" indicator and a "Last" button. There are also "+" and "-" buttons for managing the list of variables.

Field Name	User Variable Character #1
STUDENT_EQUTN_VAR	Student Equation Variables
*FIELD_NAME	VARIABLE_CHAR1

- Set Up SACR>System Administration>Utilities>Population Update Process

ORACLE

# Pop Update - File

## Population Selection Update

The screenshot shows the Population Selection Update interface. At the top, there are tabs for Report Manager, Process Monitor, and Run (highlighted). Below the tabs, the Run Control ID is set to 's1p'. The main area is divided into several sections:

- Select Record/Field for Update:** A dropdown menu shows 'STDNT\_EQUTN\_VAR - Student Equation Variables'.
- Institution:** A dropdown menu shows 'PSUNV' (PeopleSoft University).
- Billing Career:** A dropdown menu shows 'UGRD' (Undergraduate).
- Error Reporting Selection:** Buttons for 'Report Error Messages' (selected) and 'Do Not Report Messages'.
- Population Selection:** A dropdown menu shows 'External File'.
- Attached File:** A dropdown menu shows 'HEUG.txt'.
- File Mapping:** A dropdown menu shows 'HEUG'.
- Select Fields to Update:** A table with columns for Field Name and User Variable Character #1. It shows one row with 'ORACLE' in both fields.

When using an external file selection tool, always preview the results to verify that the contents of your file are mapped correctly.

ORACLE

# Pop Update - File

## Population Selection File Map

File Mapping Definition

*File Mapping	HEUG	<input type="checkbox"/> Public	<a href="#">Created/Updated History</a>
*File Type	Flat		
Field Mapping			
Mapping	Format	Customize	Find   <input type="checkbox"/> First <input checked="" type="checkbox"/> 1-2 of 2 <input type="checkbox"/> Last
Field Name	Required	Starting Position	Field Length
1 NAME	No	<input type="text"/>	<input type="text"/>
2 EMPLID	Yes	<input type="text"/> 1	<input type="text"/> 9

## Population Selection File Map

File Mapping Definition

*File Mapping	HEUG	<input type="checkbox"/> Public	<a href="#">Created/Updated History</a>
*File Type	Delimited	Field Delimiter	<input type="checkbox"/> Field Qualifier
<input type="checkbox"/> Header Row    Header Row Number <input type="text"/>			
Field Mapping			
Mapping	Format	Find   <input type="checkbox"/> First <input checked="" type="checkbox"/> 1-2 of 2 <input type="checkbox"/> Last	Trim
Field Name	Field Format		
1 EMPLID	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>
2 NAME	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>

ORACLE®

## Pop Update - File

Run the process, **SCC\_POP\_UPD**. Review the output log:

```
PSAESRV started service request at 12.22.41 2009-01-20  
  
'SCC_POP_UPD' started at 2009-01-20-12.22.42.000000 (14401,82)  
  
Total number of records read : 2 (14015,1010)  
  
Total number of records updated successfully : 2 (14015,1011)  
  
Total number of records failed : 0 (14015,1012)  
  
'SCC_POP_UPD' ended at 2009-01-20-12.22.44.000000 (14401,83)  
Application Engine program SCC_POP_UPD ended normally  
  
PSAESRV completed service request at 12.22.43 2009-01-20
```

ORACLE®

## Pop Update - File

Verify student equation variable 1 has the value ORACLE:

The screenshot shows a software interface with two main sections. The top section displays student details for "Abigail Shepard". The bottom section shows character variables for the student.

**Student Details:**

Billing Career:	UGRD	Undergraduate
Institution:	PSUNW	PeopleSoft University

\*Term: 0610

**Character Variables:**

Var Char1:	ORACLE
Var Char2:	
Var Char3:	

Var Char6:   
Var Char7:   
Var Char8:

ORACLE®

## Communication Generation

So you may now want to send an e-mail or letter to the students with updated equation variables to inform them there may be a change to their tuition.

Karen Nixon seminar on [www.heug.org](http://www.heug.org).

## Pop Update - Equation

- **Process:** Pop Update to Student Group
- **Business Process:** Use a specific student group to identify a special billing and Comm. Gen
- **Selection Tool:** Equation
- **Delivered Equations:** CCGPSEANGE

# Pop Update - Equation

**Criteria that I would like to send a bill to:**

The screenshot shows a user interface for creating a query. At the top, there are tabs for 'Records', 'Query', 'Expressions', 'Prompts', 'Fields', 'Criteria', 'Having', and 'View SQL'. The 'Criteria' tab is selected. Below the tabs, there is a 'Description:' field containing the text 'New Unsaved Query'. Underneath, there is a 'Query SQL:' section with the following code:

```
SELECT A.BUSINESS_UNIT, A.EMPLID, A.ACCOUNT_NBR, A.ACCT_TERM, A.ACCOUNT_BALANCE  
FROM PS_ACCOUNT_SF A  
WHERE A.BUSINESS_UNIT = 'PSUNV'  
AND A.ACCOUNT_NBR = 'LIBRARY001'  
AND A.ACCT_TERM = '0560'  
AND A.ACCOUNT_BALANCE > 1.00
```

## Results:

The results table has columns for 'Records', 'Query', 'Expressions', 'Prompts', 'Fields', 'Criteria', 'Having', 'View SQL', and 'Run'. The 'Criteria' tab is selected. The table displays the following data:

	Unit	ID	Acct Nbr	Acct Term	Balance	Last
1	PSUNV	SFEUC0002	LIBRARY001	0560	33.44	
2	PSUNV	SFEUC0003	LIBRARY001	0560	33.44	
3	PSUNV	SFEUC0004	LIBRARY001	0560	33.44	

ORACLE®

## Pop Update - Equation

- Equations you will need the Target Record Name that you will Insert rows into and you also need to know the BIND record.
- Where to find this info: Set Up SACR>System Administration>Utilities>Population Selection>Context Definition.

# Pop Update - Equation

<a href="#">Context Definition</a>	<a href="#">Selection Mapping</a>						
<table border="1"><tr><td>Context Name</td><td>Student Group Batch</td></tr><tr><td>Status</td><td>Active</td></tr><tr><td colspan="2"><a href="#">Pop Selection Integration</a></td></tr></table>		Context Name	Student Group Batch	Status	Active	<a href="#">Pop Selection Integration</a>	
Context Name	Student Group Batch						
Status	Active						
<a href="#">Pop Selection Integration</a>							
<input type="checkbox"/> Context varies per Application Data							
<a href="#">Process Required Fields</a>	<a href="#">Find</a>   <a href="#">View All</a>   <a href="#">First</a> <a href="#">◀</a> <a href="#">1 of 1</a> <a href="#">▶</a> <a href="#">Last</a>						
Results Record	<a href="#">STDNT_GRP_TRGT</a>						
Required Fields Record	<a href="#">STDNT_GRP_BIND</a>						
<a href="#">Data Source Records</a>	<a href="#">Customize</a>   <a href="#">Find</a>   <a href="#">View All</a>   <a href="#">First</a> <a href="#">◀</a> <a href="#">1 of 1</a> <a href="#">▶</a> <a href="#">Last</a>						
*Record (Table) Name	<a href="#">Record Description</a>						
1 STDNT_GRP_BIND	<a href="#">Pop Select Student Group Bind</a>						
<input checked="" type="checkbox"/> Validate Edit Prompt Values							
<a href="#">Required Fields Mapping</a>	<a href="#">Customize</a>   <a href="#">Find</a>   <a href="#">View All</a>   <a href="#">First</a> <a href="#">◀</a> <a href="#">1-2 of 2</a> <a href="#">▶</a> <a href="#">Last</a>						
Mapping Information <a href="#">[Edit]</a>	<a href="#">Required Fields</a>						
Results Record Fields	<a href="#">*Mapping Action</a>						
1 EMPLID	Direct						
2 PROCESS_INSTANCE	Process Instance						

ORACLE®

## Pop Update - Equation

Create equation using the TARGET and BIND records in addition to your specific criteria.

**Equation Editor**

Equation Name	SF_STDNTGRPS
Equation Table	
*Eff Date	01/01/1900
Short Desc	SF Student
Compile Status	Successfully Parsed
Equation Edit Function	

**Equation Detail**

Sel	Line Keyword	Operand Type	Operand	Comment
<input type="checkbox"/>	1	Skip	>	
<input type="checkbox"/>	2	Insert	> Table	> STDNT_GRP_TRGT
<input type="checkbox"/>	3	Into	> Field	> PROCESS_INSTANCE
<input type="checkbox"/>	4	From	> Global Variable	> CALLING-PROCESS-INSTANCE
<input type="checkbox"/>	5	Into	> Field	> EMPLID
<input type="checkbox"/>	6	From	> Table	> STDNT_GRP_BIND
<input type="checkbox"/>	7		Field	> EMPLID

ORACLE®

# Pop Update - Equation

8	Where	▼	Table	▼	STNDNT_GRP_BIND	▼	
9	Field		EMPID	▼	EMPID	▼	
10	=	▼					
11	Table	▼	ACCOUNT_SF	▼	ACCOUNT_SF	▼	
12	Field	▼	EMPID	▼	EMPID	▼	
13	And	▼					
14	Table	▼	ACCOUNT_SF	▼	ACCOUNT_SF	▼	
15	Field	▼	BUSINESS_UNIT	▼	BUSINESS_UNIT	▼	
16	=	▼					
17	Global Variable	▼	BUSINESS_UNIT_PARM	▼	BUSINESS_UNIT_PARM	▼	
18	And	▼					
19	Table	▼	ACCOUNT_SF	▼	ACCOUNT_SF	▼	
20	Field	▼	ACCOUNT_TERM	▼	ACCOUNT_TERM	▼	
21	=	▼					
22	Global Variable	▼	ACCOUNT_TERM_PARM	▼	ACCOUNT_TERM_PARM	▼	
23	And	▼					
24	Table	▼	ACCOUNT_SF	▼	ACCOUNT_SF	▼	

# Pop Update - Equation

Application Prompts

*Application Prompt ID	Customize	Find	View All	First	1 of 1	Last
1 Student Group Batch						

Where > Table > STDNT\_GRP\_BIND

Field > EMPLID

= > Table > ACCOUNT\_SF

Field > EMPLID

And > Table > ACCOUNT\_SF

Field > BUSINESS\_UNIT

= > Global Variable > BUSINESS\_UNIT\_PARM

And > Table > ACCOUNT\_SF

Field > ACCOUNT\_TERM

= >

Application Prompts

Global	Type	Description
1 ACCOUNT_BALANCE_PARM	Number	Input Account Balance
2 ACCOUNT_NBR_PARM	String	Input Account Number
3 ACCOUNT_TERM_PARM	String	Input Account Term
4 BUSINESS_UNIT_PARM	String	Input Business Unit

Parameters		Customize		Find		View 1		First		1-4 of 4		Last	
Global	Type												
1 ACCOUNT_BALANCE_PARM	Number	<	>										
2 ACCOUNT_NBR_PARM	String	<	>										
3 ACCOUNT_TERM_PARM	String	<	>										
4 BUSINESS_UNIT_PARM	String	<	>										

ORACLE®

## Pop Update - Equation

Records and Enrollment>Career and Program  
Info>Process Student Groups:

### Process Student Groups

Run Control ID: sfp      Report Manager      Process Monitor      Run

Population Selection       Population Selection

Selection Tool     

Equation Name     

Preview Selection Results

Student Group Data

*Academic Institution	<input type="text" value="PSUNV"/> <input type="button" value="Search"/>	PeopleSoft University
*Student Group	<input type="text" value="SR12"/> <input type="button" value="Search"/>	Test SR12... students
*Effective Date	<input type="text" value="01/20/2009"/> <input type="button" value="Search"/>	
*Effective Status	<input type="text" value="Active"/> <input type="button" value="Search"/>	
Comment	<input type="text"/>	

ORACLE®

## Pop Update - Equation

- Enter values for the parms:

Equation Parameters

User ID	PS
Space Name	SF_STDNTGRPSSlp_IN
Description	Input Parameters
<b>Global Variables</b>	
Operand Global Var Name:	Type
ACCOUNT_BALANCE_PAF	Number > 1.00000
ACCOUNT_NBR_PARM	String > LIBRARY001
ACCOUNT_TERM_PARM	String > 0560
BUSINESS_UNIT_PARM	String > PSUNV

# Pop Update - Equation

- Preview Selection Results:

[Preview Selection Results](#)

[Return](#)

	EMPLID	NAME
1	SFEUC0002	Lewis,Jeremy
2	SFEUC0003	Midas,Mary
3	SFEUC0004	Spillover,Margaret

Row Count: 3

ORACLE®

## Pop Update - Equation

- Run process SCC\_STD\_GRP.
- View Log File:

```
PSAESRV started service request at 11.42.59 2009-01-20
Begin Program: SCC_STD_GRP (14035,15)
Total Population Selection Emplids Inserted: 3 (14035,48)
Pop Selection Inserts Complete (14035,15)
End Program: SCC_STD_GRP (14035,15)
Application Engine program SCC_STD_GRP ended normally
PSAESRV completed service request at 11.43.12 2009-01-20
```

# Pop Update - Equation

## View Student Groups by Student

Academic Institution: PSUNV PeopleSoft University

Student Group: SR12 Test SR12... students

Effective Date: 01/01/1900

Effective Status: Active

Select Effective Dates: Most Current Active

Range Selection: No Range Selection

Range Selection:

Name	ID	Effective Date	Effective Status	Comment	Customize	Find	View All	First	◀ 1-39 of 39 ▶	Last
Lewis,Jeremy	SFEUC0002	01/20/2009	Active							
Midas,Mary	SFEUC0003	01/20/2009	Active							
Spillover,Margaret	SFEUC0004	01/20/2009	Active							

## Student Groups

Jeremy Lewis

SFEUC0002

\*Academic Institution: PSUNV

SR12

PeopleSoft University

Test SR12... students

Find  View All

First  1 of 1

+  -

\*Effective Date: 01/20/2009

\* Status:

Comments

Find  View All

First  1 of 1

+  -

Last Update Date/Time: 01/20/2009  
11:43:13AM

Updated By: PS

Type: SCC\_STD\_GRP

ORACLE®

## Pop Update - Equation

Now you have designated your small population that needs to be billed and you are able to use the Student Group selection in the Billing Standard Request.

You may also then use the 3C engine to place a comment on the students who received the billing explaining why there was a special billing.

# 3C Engine

3C Engine Parameters | Manage Duplicate Assignment

Run Control ID: v

Report Manager | Process Monitor | Run

**Process 3Cs**

Population Selection  
 Trigger Table  
 Mass Change

**Process Joint Records**

No  
 Yes, all Joint IDs  
 Yes, if match exists

**Event Selection**

Academic Institution: PGUNV PeopleSoft University  
Administrative Function: SFB1 Student Financials Billing  
Event ID: STGRPBILL Comment for billing [Detail](#)

**Communication Key**

**Checklist Code**

**Comment Category**

SFB1 Comment for SFB1

**Population Selection**

Selection Tool PS Query Edit Prompts  
Query Name SSF\_POP\_3CENGINE\_SFB1

**Launch Query Manager**

**Preview Selection Results**

**Add** **Update/Display**

**Save** **Return to Search** **Notify**

3C Engine Parameters | Manage Duplicate Assignment

ORACLE

**Current processes that are configured to use the Pop Select Utility:**

- Audience Criteria
- Advisement Report
- Application Delete by Batch
- Prospect Delete by Batch
- 3C Engine
- Mass User Security Replacement
- Population Update
- Process Student Groups
- Service Indicator Person Mass Assign and Service Indicator Organization Mass Assign
- Service Indicator Person Mass Release and Service Indicator Organization Mass Release
- Aid Year Activate
- Mass Packaging Select
- Select Students for Need Summary Validation
- Select Students for Repackaging
- Process Satisfactory Academic Progress (SAP)
- SF External Award Feed
- Mass Contract Select
- Process Transcripts and Batch Transcript Request

ORACLE®

## Records currently available for updating:

Record(Table)Name	Field
ADM_APPL_RCR_CA	RECRUIT_SUB_CAT
ADM_PRSPCT_CAR	FIN_AID_INTEREST
INAS_CALC_REC	HOUSING_INTEREST
ISIR_CONTROL	CALC_STATUS
PERS_INST_REL	CORRECTION_STATUS
SFA_SLC_STUDENT	Too many to list
STDNT_AID_ATRBT	SFA_SLC_P_ATT_IND
STDNT_CAREER	Too many to list
STDNT_CAR_TERM	SAA_SYNCHRONIZE
	COUNTRY
	ELIG_TO_ENROLL
	EXT_ORG_ID
	FORM_OF_STUDY
	OVRD_BILL_UNITS
	PROJ_BILL_UNIT
	STUDY AGREEMENT
	TUIT_CALC_REQ
STDNT_EQUTN_VAR	VARIABLE_NUMXX
	VARIABLE_FLAGXX
	VARIABLE_CHARXX
STDNT_FA_TERM	BUDGET_REQUIRED
	FA_STATS_CALC_REQ
STDNT_PKG_VAR	Too many to list

## Feedback

- Which processes could be enhanced to use the Pop Select utility?
- Identify additional PS Records/fields that could be updated via Pop Update?
- Questions?
- The evaluation survey link (URL) is,  
<http://www.heug.org/p/su/rd/sid=283>

**For More Information**

[search.oracle.com](http://search.oracle.com)



**or**

[oracle.com](http://oracle.com)

ORACLE®



ORACLE IS THE INFORMATION COMPANY

**ORACLE®**