

**SFIS QUERY**  
**WESLEYAN FUNCTIONS - Revised Nov. 2014**

Output Description	Sample Output	Expression Text	Source Field(s)	Field Type	Length	Notes
In Drop/Add (Yes or No)	N [Y]	WRG_GET_IN_DROP_ADD_YN(A.ACAD_CAREER)	ACAD_CAREER	Character	1	
Academic Organization - Long Description	Romance Lang & Literatures	WES_GET_ACAD_ORG_DESCR(A.ACAD_ORG)	ACAD_ORG	Character	30	
Academic Plan - Long Description	Spanish Language and Literature	WES_GET_ACAD_PLAN_DESCR(A.ACAD_PLAN)	ACAD_PLAN	Character	40	
Academic Subplan - Long Description	American Studies Spec Fld CAS	WES_GET_ACAD_SUBPLAN_DESCR(A.ACAD_PLAN,A.ACAD_SUB_PLAN)	ACAD_PLAN, ACAD_SUB_PLAN	Character	30	
Academic Program Description	Bachelor of Arts	WES_GET_ACAD_PROG_DESCR(A.ACAD_PROG)	ACAD_PROG	Character	20	
Language Description [use Criteria of ACCOMP_CATEGORY = LNG]	Norwegian [French, Spanish, Urdu, etc.]	WES_GET_LANGUAGE_DESC(B.ACCOMPLISHMENT)	ACCOMPLISHMENT	Character	30	Returns the language description.
Numbers Only	98765 [from an address field that reads WesBox 98765]	WES_GET_NUMBER(A.ADDRESS1)	ADDRESS1	Character	20	Strip a string of all characters but numbers; useful for phone number conversions
Admit Type	Early Decision 1 [First-Year Graduate, etc.]	WES_GET_ADMIT_TYPE_DESCR(C.ADMIT_TYPE,A.ACAD_CAREER)	ADMIT_TYPE, ACAD_CAREER	Character	30	
Citizenship Status Long Description	Citizen	WES_GET_CITIZEN_STATUS_DESCR(A.CITIZENSHIP_STATUS,A.COUNTRY)	CITIZENSHIP_STATUS, COUNTRY	Character	30	
Admission Team (Active)	01 - Blue	WES_GET_ADM_TEAM(A.COMMITTEE_ID)	COMMITTEE_ID	Character	20	Return the wes_adm_team as a fixed field of length 15 from the descrlong field.
Country spelled out	Hong Kong	WES_GET_COUNTRY_NAME(A.COUNTRY)	COUNTRY	Character	30	Give country Description
Zip Code Format	06459-0001	WES_GET_ZIP_OUT(A.COUNTRY,A.POSTAL)	COUNTRY, POSTAL	Character	10	Put a hyphen into a 9 character USA zip code after the 1st 5 digits. If the country is not USA or the zip does not contain 9 characters, the original zip is returned.
Active Student - Y if an active student and N if no.	Y [or N]	WES_ACTIVE_STUDENT(A.EMPLID)	EMPLID	Character	1	
Address Type - Current	WESS	WES_CURRENT_ADDRESS(A.EMPLID)	EMPLID	Character	4	
Phone Type - current	HOME [LOC1, etc.]	WES_CURRENT_PHONE(A.EMPLID)	EMPLID	Character	4	
IDs for Parents, Guardians, Stepparents	987653-Parent-987654-Parent-987655-Step Parent-987656-Step Parent	WES_ENROLLDAY_GET_PARENT (A.EMPLID)	EMPLID	Character	100	
Parent EmplId	654322-Parent-654321-Parent- ~ ~	WES_ENROLLDAY_GET_PARENT(A.EMPLID)	EMPLID	Character	200	
Academic Standing Action	GS,PR-S [WA, SP-G, PB-G, etc.]	WES_GET_ACAD_DISC(A.EMPLID)	EMPLID	Character	10	To get the acad_stndng_actn for a student.
Academic Interests from PeopleSoft Student Admissions Menu	Undecided,No Equivalent Major	WES_GET_ACAD_INTERESTS(A.EMPLID)	EMPLID	Character	30	To get the Acad interests of an individual
Academic Level - Undergraduate	1	WES_GET_ACAD_LEVEL(A.EMPLID)	EMPLID	Character	1	Calculate and return WES_ACADEMIC LEVEL for UNDERGRADS. 1=First Year 2=Sophomore 3=Junior 4=Senior
Action Status	Application	WES_GET_ACT_STAT (A.EMPLID)	EMPLID	Character	30	To get the Action Status of a prospect
Address Type (address usage example "BASIC")	HOME	WES_GET_ADDR_FROM_ADDR_USAGE(A.EMPLID,'BASIC')	EMPLID	Character	4	To get the first address type from an address usage which a person has an address for
Address Type	HOME	WES_GET_ADM_ADDR_TYPE(A.EMPLID)	EMPLID	Character	4	To get the address type is dependent on time of year and what address the student has on file
State - Prospect (School Year)	RI	WES_GET_ADM_SCHL_YR_ADDR_STATE(A.EMPLID)	EMPLID	Character	2	To get the state (address) for the prospect based on addr_usage = 'AD_SCHL_YR'
Address Type - Prospect (School Year)	HOME	WES_GET_ADM_SCHL_YR_ADDR_TYPE(A.EMPLID)	EMPLID	Character	4	To get the addr_type (address) for the prospect based on addr_usage = 'AD_SCHL_YR'
Region Code (School Year)	RI01	WES_GET_ADM_SCHL_YR_REGION(A.EMPLID)	EMPLID	Character	4	To get the region (address) for the prospect based on addr_usage = 'AD_SCHL_YR'
State - Prospect (Summer)	WI	WES_GET_ADM_SUMMER_ADDR_STATE(A.EMPLID)	EMPLID	Character	2	To get the state (address) for the prospect based on addr_usage = 'AD_SUMMER'
Address Type - Prospect (Summer)	HOME	WES_GET_ADM_SUMMER_ADDR_TYPE(A.EMPLID)	EMPLID	Character	4	To get the addr_type (address) for the prospect based on addr_usage = 'AD_SUMMER'
Region Code (Summer)	MA01	WES_GET_ADM_SUMMER_REGION(A.EMPLID)	EMPLID	Character	4	To get the region (address) for the prospect based on addr_usage = 'AD_SUMMER'

**SFIS QUERY**  
**WESLEYAN FUNCTIONS - Revised Nov. 2014**

Output Description	Sample Output	Expression Text	Source Field(s)	Field Type	Length	Notes
Admit Term (may be Grad term or Undergrad term)	0949 [1099, 1029, 1049, etc.]	WES_GET_ADMIT_TERM(A.EMPLID)	EMPLID	Character	4	Calculate and return admit_term
Applicant Academic Interests from Wesleyan Menu	International Relations Cert.,Undecided,No Equivalent Major,Government, Int'l Politics	WES_GET_APP_ACAD_INTERESTS(A.EMPLID)	EMPLID	Character	150	To get the Acad interests of an individual
Admit Term	1109	WES_GET_APPLICANT_ADMIT_TERM()	EMPLID	Character	4	Get applicant admit term - admit term switches in July. This was modified on 6/6/2005. It used to change on 8/1 now it changes on 7/1.
Admit Term for WAAV web pages	1109	WES_GET_ASC_ADMIT_TERM ()	EMPLID	Character	4	Get the admit term for the Waav web pages from the first day of the year displays next year's fall term
Country of Citizenship	United States,United Kingdom	WES_GET_CITIZENSHIP (A.EMPLID)	EMPLID	Character	30	
Country of Citizenship - Code	USA,GBR	WES_GET_CITIZENSHIP (A.EMPLID,'CODE')	EMPLID	Character	30	
Country of Citizenship	United States,United Kingdom	WES_GET_CITIZENSHIP (A.EMPLID,'DESCR')	EMPLID	Character	60	
Citizenship Status Code	4	WES_GET_CITIZENSHIP_STATUS(A.EMPLID)	EMPLID	Character	1	
Citizenship Status Long Description	Temporary Alien	WES_GET_CITIZENSHIP_STATUS(A.EMPLID,'LONG')	EMPLID	Character	30	
Citizenship Status Short Description	Temp Alien	WES_GET_CITIZENSHIP_STATUS(A.EMPLID,'SHORT')	EMPLID	Character	30	
Wesleyan Class Year	2010 [or GRAD, GLSP, etc.]	WES_GET_CLASS_YEAR (A.EMPLID)	EMPLID	Character	4	Calculate and return WES_CLASS
Contact Codes	EA,EC,IA,CV,EA,EC,01	WES_GET_CONTACT_CODES(A.EMPLID)	EMPLID	Character	45	To retrieve all contact codes for a given student. This gets you a list of codes XX XX XX XX ... length 45
Contact Codes and Dates	EA 0208,EC 0208,IA 0208,CV 0308,EA 0309,EC 0309,01 0709	WES_GET_CONTACT_CODES(A.EMPLID,'DATE')	EMPLID	Character	120	To retrieve all contact codes for a given student. This gets you a list of XX MMYX,XX MMYX,XX MMYX, ... length 120
Contact Codes and Dates, Unique	EA 0208,IA 0208,EC 0208,CV 0308,01 0709	WES_GET_CONTACT_CODES(A.EMPLID,'DATE','Y')	EMPLID	Character	120	To retrieve all contact codes for a given student. To Get unique codes by earliest date XX MMYX,DD MMYX,GG MMYX .... length 120
Contact Codes, Unique	EA,IA,EC,CV,01	WES_GET_CONTACT_CODES(A.EMPLID,'LIST','Y')	EMPLID	Character	45	To retrieve all contact codes for a given student. This gets a list of Unique codes XX AA FF GG ... length 45
Country Code	IND [CHN, DEU, USA, etc.]	WES_GET_COUNTRY_NM_FORMAT	EMPLID	Character	3	Gets the current HOME address COUNTRY or USA if no HOME address.
Credits - Total	28.500	WES_GET_CREDITS_TOTAL_GPA(A.EMPLID)	EMPLID	Number	6, 3 Decimals	Returns TOTAL CREDITS PASSED (GPA and NONGPA)
Dean's initials	NHM	WES_GET_DEAN_INITIALS(A.EMPLID)	EMPLID	Character	3	Gives the dean's initials for a prospect's highest adm appl nbr
Email User Name	hjsmith	WES_GET_EMAIL_USERNAME(A.EMPLID)	EMPLID	Character	20	Gets the first part of the wesleyan email address
Enrollment Status [NOTE: There is a separate Function for Student Financials]	ENRL [CONT, DTCH, LEAV LV-MED, etc.]	WES_GET_ENRL_STATUS(A.EMPLID)	EMPLID	Character	20	Returns the student's enroll status [NOTE: There is a separate Function for Student Financials]
Ethnic Groups - ALL - with Primary in SOLID CAPS. Compare display to WES_GET_ETHNICITY	BLACK (B),West Indian (B3),Caucasian (C),Other (O)	WES_GET_ETHNIC_GRP(A.EMPLID)	EMPLID	Character	200	Compare display to WES_GET_ETHNICITY
Ethnic Groups - ALL for one student	Asian (A),Chinese (A1),Filipino (A4),Caucasian (C),Other (O)	WES_GET_ETHNICITY(A.EMPLID)	EMPLID	Character	200	This Function returns the student's ethnicity. It is essentially obsolete now since it does the same thing as WES_GET_ETHNIC_GRP. The only difference is this function does NOT cause the primary ethnicity to be in uppercase like the WES_GET_ETHNIC_GRP does.
Ethnic Group, Primary	A	WES_GET_ETHNICITY_PRIMARY(A.EMPLID)	EMPLID	Character	50	Returns the student primary ethnicity
Evaluation Codes	AMYRPT-1, ATEVL2-6, ATEVL1-6, ACEVAL-6	WES_GET_EVALUATION(A.EMPLID)	EMPLID	Character	200	Returns evaluations for a specific evaluation code or if left blank all evaluation up to 200 characters
Graduation Term Expected	1131	WES_GET_EXP_GRAD_TERM(A.EMPLID)	EMPLID	Character	4	Return exp_grad_term

**SFIS QUERY**  
**WESLEYAN FUNCTIONS - Revised Nov. 2014**

Output Description	Sample Output	Expression Text	Source Field(s)	Field Type	Length	Notes
Relationship - Any Type, Any Time	Y [or N]	WES_GET_IN_PERS_INST_REL(A.EMPLID)	EMPLID	Character	1	Return a Y if in Pers Inst Rel Table otherwise returns a N [Returns Y if (Alumni,Student,Employee,or Prospect) (Cur,Ever,Cur_Man,Ever_Man) ]
Relationship - Alum, Stu, Emp, Any Time	Y [or N]	WES_GET_IN_PERS_INST_REL(A.EMPLID,'AES')	EMPLID	Character	1	If Alum,Stu,or Emp returns Y
Relationship - Any Type, Any Time	Y [or N]	WES_GET_IN_PERS_INST_REL(A.EMPLID,'AESP')	EMPLID	Character	1	Return a Y if in Pers Inst Rel Table otherwise returns a N [Returns Y if (Alumni,Student,Employee,or Prospect) (Cur,Ever,Cur_Man,Ever_Man) ]
Relationship - Any Type, Current	Y [or N]	WES_GET_IN_PERS_INST_REL(A.EMPLID,'AESP','C')	EMPLID	Character	1	If Pro,Alum,Stu,or Emp returns Y (Current)
Relationship - Any Type, Ever	Y [or N]	WES_GET_IN_PERS_INST_REL(A.EMPLID,'AESP','V')	EMPLID	Character	1	If Pro,Alum,Stu,or Emp returns Y(Ever)
Relationship - Prospect, Any Time	Y [or N]	WES_GET_IN_PERS_INST_REL(A.EMPLID,'P')	EMPLID	Character	1	If Prospect returns Y
Major Descriptions	Environmental Studies,Science in Society,Sociology	WES_GET_MAJOR_DESCRS(A.EMPLID)	EMPLID	Character	100	To retrieve all majors descriptions for a given student. It first checks for grad majors. If no grad majors, it then gets the major for the latest effective dated rows.
Major Codes	ENGL,FGSS	WES_GET_MAJORS(A.EMPLID)	EMPLID	Character	40	To retrieve all majors for a given student. It first checks for grad majors. If no grad majors, it then gets the major for the latest effective dated rows.
Name - L,FM (no space after comma)	Johnson,Maria Ann	WES_GET_NAME (A.EMPLID)	EMPLID	Character	50	Gets preferred name of individual in ps format. Returns a Primary name if the preferred type does not exist.
Name - L,FM (remove accents)	Perez, David [preferred name Pérez, David]	WES_GET_NAME (A.EMPLID,'N')	EMPLID	Character	30	Gets preferred name of individual in ps format. Returns a Primary name if the preferred type does not exist. By changing the second parameter to 'N', the function will attempt to substitute standard characters for any special characters in the name (ie. it will remove accented characters).
Name - Parts - Example using First and Last (any combination of 'P F M L S')- Prefix, First, Middle, Last, Suffix)	Maria Johnson	WES_GET_NAME_PARTS (A.EMPLID,'PRI',SYSDATE,'F L')	EMPLID	Character	45	
Name - Parts - Example using First only (any combination of 'P F M L S')- Prefix, First, Middle, Last, Suffix.)	Maria	WES_GET_NAME_PARTS (A.EMPLID,'PRI',SYSDATE,'F')	EMPLID	Character	12	
Name - Parts - Example using Last, First Middle (any combination of 'P F M L S')- Prefix, First, Middle, Last, Suffix)	Johnson, Maria Ann	WES_GET_NAME_PARTS(A.EMPLID,'PRI',SYSDATE,'L, F M')	EMPLID	Character	45	Gets whatever parts of a name from whatever name type you desire. You can introduce commas anywhere you like. This function will return a Primary name if the asked for name_type does not exist.
Phone - Home	617/555-5555	WES_GET_PHONE (A.EMPLID,'HOME')	EMPLID	Character	15	Returns the Phone of an individual
Phone - Local	860/555-1212	WES_GET_PHONE (A.EMPLID,'LOC1')	EMPLID	Character	15	Returns the Phone of an individual
Phone - Cell	860/555-5555	WES_GET_PHONE(A.EMPLID,'CELL')	EMPLID	Character	15	Returns the Phone of an individual
Email Address, Preferred (may not be Wesleyan)	hjsmith@wesleyan.edu	WES_GET_PREFERRED_EMAIL(A.EMPLID)	EMPLID	Character	50	
Academic Program and Status as of current date	Bachelor of Arts / Active in Program	WES_GET_PROGRAM(A.EMPLID)	EMPLID	Character	50	To return the program descr / status of a student.
Priority	1	WES_GET_RES_LIFE_PRIORITY (A.EMPLID)	EMPLID	Character	1	Calculate and return the priority that a student should have in the Res Life Room Selection Lottery
Special Interests	Alumni, Pres Off., Faculty	WES_GET_SPECIAL_INT(A.EMPLID)	EMPLID	Character	30	Get a list of special interests for a prospect
National ID	111223333	WES_GET_SSN(A.EMPLID)	EMPLID	Character	9	Returns the SSN of an individual
State spelled out	Massachusetts	WES_GET_STATE_NAME(A.COUNTRY,A.STATE)	EMPLID	Character	20	
Student Type Code - Undergraduate	FYST (TRAN, VINT, etc.)	WES_GET_STUDENT_TYPE(A.EMPLID)	EMPLID	Character	4	Return a list of acad plans (of type specialization) for student. You can do it by default up to today or as of some other day.



**SFIS QUERY**  
**WESLEYAN FUNCTIONS - Revised Nov. 2014**

Output Description	Sample Output	Expression Text	Source Field(s)	Field Type	Length	Notes
Academic Level	1 [2, 3, 4, 5]	WES_GET_TERM_LEVEL(A.EMPLID,A.STRM)	EMPLID, STRM	Character	1	Calculate and return WES_ACADEMIC LEVEL for Purpose of Bin enrollments -- 1=First Year 2=Sophomore 3=Junior 4=Senior 5= Grad
Semester Parameter	5	WRG_GET_SEMESTER_PARM (A.EMPLID,A.STRM)	EMPLID, STRM	Number	2	Gets the Semester Parameter for Credit Analysis
Program Action, Action Reason and Date	WADM/SMWD - 20-AUG-2009	WES_GET_ABSENCE_REASON (A.EMPLID,A.STRM,A.FORM_OF_STUDY)	EMPLID, STRM, FORM_OF_STUDY	Character	50	Retrieve the action from the latest acad prog record which explains the DTCH or LEAV form of study in the UGRD term record indicated by the strm parameter.
Enrollment Action Reason Long Description	Student Cancelled Request	WES_GET_ENRL_RQST_RSN(A.ENRL_ACTION_REASON)	ENRL_ACTION_REASON	Character	30	Function Mainly used for Drop Add. Returns description of the enrl reasons.
Ethnic Group <i>(include ETHNICITY_DTL in query)</i>	Native Hawaiian or Other Pacific Islander (P)	WES_GET_ETHNICITY_DESCR(A.ETHNIC_GRP_CD)	ETHNIC_GRP_CD	Character	50	
External Organization Name	University of Rhode Island	WES_GET_ORG_NAME(E.EXT_ORG_ID)	EXT_ORG_ID	Character	50	Give extorg name based on org_id
External Subject Area Description	Spanish Lang and Literature	WES_GET_EXT_SUBJECT_NAME(A.EXT_SUBJECT_AREA)	EXT_SUBJECT_AREA	Character	30	
Item Type Description	Fall Hums Tuition, Early Arrival Housing, etc. or it may be blank	WSF_GET_ITEM_DESCR(A.ITEM_TYPE)	ITEM_TYPE	Character	100	Return Description for item_type
EMPLID from National ID	654321	WES_GET_EMPLID(A.NATIONAL_ID)	NATIONAL_ID	Character	6	Returns the emplid
Phone LOC1 Unformatted	8605551212	WES_PHONE_SEARCH(A.PHONE)	PHONE	Character	15	
Program Action Reason - Long Description	Final Transcript Received	WES_GET_PROG_REASON_DESCR(A.PROG_ACTION, A.PROG_REASON)	PROG_ACTION, PROG_REASON	Character	30	
GLSP - Meeting Pattern	20	WGL_GET_MTG_PAT_SORT(A.STND_MTG_PAT)	STND_MTG_PAT	Character	2	To return the sort order of a meeting pattern for the GLSP Curriculum on the Web
Academic Year	2009	WES_GET_ACAD_YEAR (A.STRM)	STRM	Character	4	To get acad year based on a term.
Term Description	Fall 2009	WES_GET_TERM_DESC(A.STRM)	STRM	Character	12	Return the term description; parameter expected is a valid term.
Units by Class	1 [1.5, .5, etc.]	WRG_GET_UNITS_ACAD_PROG(A.STRM,A.CLASS_NBR)	STRM, CLASS_NBR	Character	5	
Form of Study Code	RTRN, CONT, FRST, ENRL, etc.	WES_GET_FORM_OF_STUDY (A.STRM,A.EMPLID,A.ACAD_CAREER)	STRM, EMPLID, ACAD_CAREER	Character	4	Return the Form of Study Period for emplid, strm combo
Form of Study Code with Agreement	CONT, NRS APRV-INTL, LEAV LV-ACD, LEAV LV-MED, etc.	WES_GET_FOS_WITH_AGREEMENT	STRM, EMPLID, ACAD_CAREER	Character	15	Return the Form of Study Period for emplid, strm combo
All Roommates	123456-Sally Jones 2013, 234567-Nancy Smith 2013	WES_GET_ROOMMATES(B.STRM,A.WRL_BUILD_CODE,A.WRL_ROOM)	STRM, WRL_BUILD_CODE, WRL_ROOM	Character	300	To retrieve all roommates in a given room and building
Subject Long Description	Asian Languages & Literatures	WES_GET_SUBJECT_DESCR(A.SUBJECT)	SUBJECT	Character	50	Give subject Description
Advisee Term	1109	WES_GET_ADVISEE_TERM()	SYSDATE (Leave blank)	Character	4	Gets the current Advisee Term (either spring or fall) based on PeopleSoft's term_tbl. It returns the minimum term such that the end date of that term is >= today. Therefore the day after a semester ends it gives you the next semester even if it has not officially started.
GLSP - Current Term	1099	WES_GET_CUR_GLSP_TERM ()	SYSDATE (Leave blank)	Character	4	
Term - Current	1099	WES_GET_CURRENT_TERM ()	SYSDATE (Leave blank)	Character	4	Get the current term
Term - Current Fall or Spring	1099	WES_GET_FALL_SPRING_TERM()	SYSDATE (Leave blank)	Character	4	Gets only current Fall or Spring Term based on WES_GET_CURRENT_TERM. If current term ends not in 0 or 1 then XXX9 is passed out; if current term ends in a 0,1 then XXX1 is passed out.
First Year Inquiry Term (Default)	1109	WES_GET_FIRST_YEAR_INQ_TERM()	SYSDATE (Leave blank)	Character	4	Get THE DEFAULT First Year INQUIRY term. 01/24/2008 First edition set up to change on Jan 15th
Freshman Graduation Year	2013	WES_GET_FRSH_CLASS_YEAR()	SYSDATE (Leave blank)	Character	5	Gets the current expected Freshman Graduation Year
Term - Millenium Bridge	1099	WES_GET_MILL_TERM()	SYSDATE (Leave blank)	Character	4	Bridge term from millenium to ps
Term - Next Fall	1109	WES_GET_NEXT_FALL_TERM()	SYSDATE (Leave blank)	Character	4	Gets term for Web page; april is cutoff for term switching

**SFIS QUERY**  
**WESLEYAN FUNCTIONS - Revised Nov. 2014**

Output Description	Sample Output	Expression Text	Source Field(s)	Field Type	Length	Notes
Term - Next	1101	WES_GET_NEXT_TERM()	SYSDATE (Leave blank)	Character	4	Get the term after the current term where the only valid terms are Fall, Spring, & Summer
Transfer Inquiry Term Default	1109	WES_GET_TRANSFER_INQ_TERM ()	SYSDATE (Leave blank)	Character	4	Get THE DEFAULT TRANSFER INQUIRY term. 01/24/2008 First edition set up to change on March 15th
Term - Current Undergraduate	1099	WES_GET_UGRD_TERM ()	SYSDATE (Leave blank)	Character	4	Gets the current UGRD Term (either spring or fall) based on PeopleSoft's term_tbl. It returns the minimum term such that the end date of that term is >= today. Therefore the day after a semester ends it gives you the next semester even if it has not officially started.
Registration Term	1101	WRG_GET_REGISTRATION_STRM ()	SYSDATE (Leave blank)	Character	4	Get the current registration term based on the session table for session 140 end_dt of dropadd >= cur_date and we want the min term from this set; the function returns null if a term has not been set up yet
Current Term	1099	WRL_GET_CURR_TERM ()	SYSDATE (Leave blank)	Character	4	Gets the current term from the ps_wrl_calendar table then you do not need to hard code the term in the queries or add a prompt
Test Long Description	Scholastic Assessment Test II [ACT Assessment, Graduate Record Examination, Test of Engl as Foreign Lang, Scholastic Assessment Test I, etc.]	WES_GET_TEST_ID_DESCR(A.TEST_ID)	TEST_ID	Character	50	Give test id Description
Test Component Long Description	Verbal [Mathematics, Chemistry, Literature, Analytical Writing, Quantitative, Verbal, etc.]	WES_GET_TEST_COMPONENT_DESCR(C.TEST_ID,D.TEST_COMPONENT)	TEST_ID, TEST_COMPONENT	Character	30	
Phone in Wesleyan Format	860/555-1212	WES_FORMAT_PS_PHONE(A.WES_PHONE)	WES_PHONE	Character	12	
Rooms Based on Staff Area	302-304, 306-307, 309-312, 316-322, 324-326	WRL_GET_STAFF_AREA_ROOMS(A.WRL_AREA_NBR,A.EMPLID)	WRL_AREA_NBR, EMPLID	Character	100	Gets rooms based on Staff Area Nbr and Emplid of RA. Options: You can designate the term, or the variance, which determines how detailed you want the room, a 1 will list every room for instance (1,2,3,6,9,10,11) with a one will come out as 1-3,6,9-11 with a variance greater than 10 it will come out 1-11. If a staff area has more than one building in it it returns nothing. Returns a string up to 100 characters long.
All Rooms in a Unit	307A,307B,307C,307D,307E	WES_GET_ROOMS(A.WRL_BUILD_CODE,A.WRL_UNIT)	WRL_BUILD, WRL_UNIT	Character	300	To retrieve all rooms in a unit in a given building; if [additional variable] not used or set to Y will yield the current semester's information. If set to anything but Y it will yield the most future dated information, based on the building and unit.
Building Name	186 Cross Street	WRL_GET_BUILD_NAME(A.WRL_BUILD_CODE)	WRL_BUILD_CODE	Character	30	Gets the current building name (max Length 30)
Building Capacity	143	WRL_GET_BUILDING_CAPACITY(A.WRL_BUILD_CODE)	WRL_BUILD_CODE	Number	3	Gets the Building Capacity by summing Room Capacity
Staff Areas by Building Code	(138,134,133,137,135,136,139)	WRL_GET_STAFF_AREAS_BY_BDCODE(A.WRL_BUILD_CODE)	WRL_BUILD_CODE	Character	30	Gets all the current term Staff Areas unless you enter a term then gets the list of greatest effdt staff areas for current . A building can have more than one staff area and they are needed to Find all staff for a building
Staff Areas by Building Code and Room	401	WRL_GET_STAFF_AREA (A.WRL_BUILD_CODE,B.WRL_ROOM)	WRL_BUILD_CODE, WRL_ROOM	Character	3	Gets the current term Staff Area unless you enter a term then gets the greatest effdt staff area for that term
Unit Capacity	140	WRL_GET_UNIT_CAPACITY(A.WRL_BUILD_CODE,B.WRL_UNIT)	WRL_BUILD_CODE, WRL_UNIT	Number	3	Gets the Unit Capacity by summing Room Capacity
Unit Beds Assigned	136	WRL_GET_UNIT_ASSIGNMENT_COUNT(A.WRL_BUILD_CODE,A.WRL_UNIT,B.STRM)	WRL_BUILD_CODE, WRL_UNIT, STRM	Number	3	Gets the Unit Beds Assigned Count by Counting assignments; only counts those assignments where wrl_date_in <> wrl_date_out or wrl_date_out > sysdate